

mÞm

NOTE

ITEM	DESCRIPTION
1	SCREW
2	COVER ASSEMBLY
3	INSERT ASSEMBLY
4	GASKET

[18209N21**

C18= INTERNAL THREAD FORM A

POLES -

2= 2 POLE & 3= 3 POLE THREAD SIZE -

09= PG9, 11= PG11, M6= M16x1.5, M0= M20x1.5, 12= 1/2" GAS, 13= 1/2" NPTF

39= PG9 W/STRAIN RELIEF, 41= PG11 W/STRAIN RELIEF

MATERIAL AND HOUSING COLOUR

G = PA6 GRAY, H= PA6 HEAT PROTECTION,

N= PA6 BLACK, W= PA66 BLACK VO, T= TRANSPARENT

GROUND POSITION -

0= UNMOUNTED, 2= H12, 3= H3, 6= H6 & 9= H9

SCREW AND GASKET -

- 1= NBR PROFILE GASKET & SCREW
- 2= NBR FLAT GASKET & SCREW
- 3= WHITE SILICONE PROFILE GASKET & SCREW
- 4= WHITE SILICONE FLAT GASKET & SCREW
- 5= NBR PROFILE GASKET, NO SCREW
- 9= NO GASKET, NO SCREW
- 0= NO GASKET, NO SCREW
- A= NBR PROFILE GASKET & SCREW +2mm
- B= NBR FLAT GASKET & SCREW +2mm
- C= WHITE SILICONE PROFILE GASKET & SCREW +2mm
- G= NO GASKET & STANDARD SCREW
- I= BULK PACK FULLY MOUNTED, NO GASKET
- P= INTEGRATED NBR GASKET & IP67 SCREW ASSEMBLED
- R= INTEGRATED NBR GASKET & IP67 SCREW NOT ASSEMBLED

NON STANDARD COMPONENTS-

14= SINGLE BAG

19= PIN NO.3 NON CONNECTED/REMOVED.

23= ASSEMBLED SCREWS & GASKET

10- SPECIAL GROMMET

4S= SPECIAL GROMMET

5A= SINGLE BAGGED 500 IN A BOX

9V= NO SCREW OR GASKET

AF= CENTRE SCREW MOUNTED

BM= GOLD TERMINALS

BS= FULLY UNMOUNTED ALL COMPONENTS IN SEPARATE BAGS

○ ☐ THIRD ANGLE PROJECTION

SHEET NO.

OH= INOX SCREW

P7= IP67 COMPLIANT

SA= UL LISTED PART

NOTES

29.0 REF

- 1. PLEASE SEE SHEET 2 FOR CURRENTLY CONFIGURED PART NUMBERS, FOR SPECIFIC PART NUMBERS PLEASE CONTACT SALES OR CONSULT THE INTELLIGENT PART NUMBERS IN THE TABLE ATTACHED
- 2. EARTH POSITION SHOWN, H12.

29.5 REF

- 3. FOR PACKAGING SEE PACKAGING SPEC PK-121023-C18
- 4. PRODUCT SPEC: SEE PS-121201-001

M3REF

LAST INSPECTION NUMBER 2

ADDED P/N EC NO: IPG2016-0551 C DRWN: JBYRNES 2015/10/09 CHYCD: SOME 2015/10/12 APPR: STGRIFFIN 2015/11/12 DIMENSION STYLE GENERAL TOLERANCES QUALITY MM ONLY 1.5:1 (UNLESS SPECIFIED) SYMBOLS DRAWN BY DATE TITLE mm C18 SERIES **JOCONNOR** 2011/05/04 4 PLACES INTERNAL THREAD CHECKED BY DATE B PLACES ± ---DMAHER 2011/05/06 PLACES ± 0.1 APPROVED B DATE 1 PLACE ± 0.2 ψole)× MOLEX INCORPORATED 2011/05/24 EFOLAN ANGULAR ±---MATERIAL NO. DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS SEE SHEET 2 SD-121023-001

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

tb_frame_A2_P_AM_ Rev. E 2006/04/15


G

c

Α

					<u>I</u>		<u> </u>				<u> </u>			
NADT No	I -D- DADT N-	DESCRIPTION					PART No.	mPm PART No.		SCRIPTION				
ART No. 210230229	mPm PART No. C18209G21			R PROFILE GASKET & SO	DEW .		1210230800	C18209G		PE A 2P PG9 GRAY, NBR				
210230227	C18209G22			R FLAT GASKET & SCRE			1210230803 1210230804	C182M0N C18309N		<u>(PE A 2P M20x1.5 BLACK, I</u>				
210230233	C18209G31			PROFILE GASKET & SO			1210230804	C18309N		<u>'PE A 3P PG9 BLACK, WHI'</u> 'PE A 3P PG9 BLACK, INTE			ASSEMBLED	
-		-					1210230825	C182M6N		PE A 2P M16x1.5 BLACK, II				
210230238	C18209N21			R PROFILE GASKET & S			1210230833	C18211G2		PE A 2P PG11 GRAY, NBR				
210230242	C18209N22			R FLAT GASKET & SCR			1210230841	C182M0G2		PE A 2P M20x1.5 GRAY, N				
210230244	C18209N23			HTE SILICONE PROFILE O			1210240268	C18311N2		PE A 3P PG11 BLACK, NO				
210230245 210230246	C18209N24 C18209N25			IITE SILICONE FLAT GAS R PROFILE GASKET, NO			1210240370	C18211N2		PE A 2P PG11 BLACK, NBF				
210230240	C18209N2A			R PROFILE GASKET & S			1210240940	C18209N:		PE A 2P PG9 BLACK, NO				
210230247	C18209N31			R PROFILE GASKET & S			1210240133	C18209N2		PE A 2P PG9 BLACK, NBR			W	
210230252	C18209N61			R PROFILE GASKET & S			1210240154 1210240378	C18209N2 C18311N2		<u>(PE A 2P PG9 BLACK, NBR</u> (PE A 3P PG11 BLACK, NBR			=\u	
210230253	C18209N62			R FLAT GASKET & SCR			1210240376	C18209N2		PE A 2P PG9 BLACK, NBR				
210230254	C18209T21	TYPE A 2	P PG9 TRANSPAR	RENT, NBR PROFILE GAS	KET & SCREW		1210240156	C18209N2		PE A 2P PG9 BLACK, NBR				
210230271	C18211G21			R PROFILE GASKET & S			1210240224	C18309N:		PE A 3P PG9 BLACK, NBR				
210230278	C18211N21			BR PROFILE GASKET & :			1210240755	C18309N:		PE A 3P PG9 BLACK, INTE				No. 3
210230282	C18211N23			HITE SILICONE PROFILE			1210240227	C18309N:	2110 TY	PE A 3P PG9 BLACK, NBR	PROFILE GASKET	& SCREW, WITH SPECIAL	GROMMET	
210230283	C18211N24			HITE SILICONE FLAT GAS			1210240185	C18211G2		PE A 2P PG11 GRAY, NBR				
210230284 210230286	C18211N61 C18211T21			BR PROFILE GASKET & : RENT, NBR PROFILE GAS			1210240271	C18311N6		PE A 3P PG11 BLACK, NBF				
210230200	C18211W21			, NBR PROFILE GASKET			1210240265	C18311N2		PE A 3P PG11 BLACK, NBF			1D, 500 IN A BOX	
210230305	C18212N21			K, NBR PROFILE GASKE			1210230350 1210240167	C18309N2 C18209N2		PE A 3P PG9 BLACK, NO				
210230315	C18213G21			Y, NBR PROFILE GASKE			1210240167	C18209N2		PE A 2P PG9 BLACK, NO PE A 2P PG9 GRAY, NBR				
210230319	C18213N21	TYPE A 2	P 1/2" NPTF BLA	CK, NBR PROFILE GASK	T & SCREW		1210230232	C182090		PE A 2P PG9 BLACK, NBR				
210230328	C18239G21			RELIEF GRAY, NBR PRO			1210230274	C18211G2		PE A 2P PG11 GRAY, NBR				
210230331	C18241N21			RELIEF BLACK, NBR PR		EW	1210230281	C18211N2		PE A 2P PG11 BLACK, NBF				
210230336	C18309G21			PROFILE GASKET & S			1210230648	C18309N	31AF TY	'PE A 3P PG9 BLACK, NBR	PROFILE GASKET	WITH SCREW MOUNTED		
210230337	C18309G22			FLAT GASKET & SCRE			1210230678	C183M0N	31AF TY	'PE A 3P M20×1.5 BLACK, I	NBR PROFILE GASK	ET WITH SCREW MOUNTER	D	
210230341	C18309N21			R PROFILE GASKET & S			1210230696	C183M6N		'PE A 3P M16x1.5 BLACK, N				
210230345 210230346	C18309N23 C18309N24			<u>HTE SILICONE PROFILE (</u> HTE SILICONE FLAT GAS			1210230751	C183M6N3		PE A 3P M16x1.5 BLACK, N)	
210230340	C18309N2G			GASKET, & STANDARD			1210230801	C183M6N2		PE A 3P M16x1.5 BLACK, N				
210230354	C18309N61			R PROFILE GASKET & S			1210230767	C18311N3		PE A 3P PG11 BLACK, NBF				
210230356	C18309N64			ITE SILICONE FLAT GAS			1210230728 1210230240	C18209N: C18209N:		<u>'PE A 2P PG9 BLACK, NBR</u> 'PE A 2P PG9 BLACK, NBR				
210230358	C18309T21			RENT, NBR PROFILE GAS			1210230240	C18211G2		'PE A 2P PG11 GRAY, NBR			1	
210230364	C18309W21	TYPE A 3	P PG9 BLACK VO,	NBR PROFILE GASKET	& SCREW		1210230272	C18211N2		PE A 2P PG11 BLACK, NBF			NT	
210230367	C18309W23	TYPE A 3	P PG9 BLACK VO.	WHITE SILICONE PROFIL	E GASKET & SCREW		1210230420	C18339N:		PE A 3P PG9 W/STRAIN R				
210230372	C18311G21			R PROFILE GASKET & S			1210230725	C18309N:		PE A 3P PG9 BLACK, NBR				
210230373	C18311G22			R FLAT GASKET & SCRE			1210230731	C18312N2	:1P7 TY	'PE A 3P 1/2" GAS BLACK	, NBR PROFILE GAS	SKET & SCREW IP67 COMP	LIANT	
210230374	C18311G61			R PROFILE GASKET & S			1210230732	C18209G		PE A 2P PG9 GRAY, NBR				
210230377 210230378	C18311N21 C18311N22			BR PROFILE GASKET & : BR FLAT GASKET & SCF			1210230843	C183M6N		PE A 3P M16×1.5 BLACK, N			.ANT	
210230370	C18311N31			BR PROFILE GASKET & SCI			1210230849	C18309N:		PE A 3P PG9 BLACK, BUL				
210230377	C18311N61			BR PROFILE GASKET & :			1210230739	C18311W2		PE A 3P PG11 BLACK VO,				
210230384	C18311T21			RENT, NBR PROFILE GAS			1210230851	C182M6W:		PE A 2P M16x1.5 BLACK V			NIT	
210230388	C18311W21			, NBR PROFILE GASKET			1210230853 1210230854	C18311N2 C18309W		<u>(PE A 3P PG11 BLACK, NBF</u> (PE A 3P PG9 BLACK VO, I				NGLE BAGGED
210230400	C18312N21			K, NBR PROFILE GASKET			1210230855			PE A 3P PG9 BLACK VO, 1				TOLL DAUGLD
210230401	C18312N22			K, NBR FLAT GASKET &			1210230657	C18309W		PE A 3P PG9 BLACK VO, I				
210230410	C18313G21			Y, NBR PROFILE GASKE			1210230809	C18211W2		PE A 2P PG11 BLACK VO,				
210230414	C18313N21			K, NBR PROFILE GASKE			1210230861	C18211W2		PE A 2P PG11 BLACK VO,				
210230415	C18313N22			CK, NBR FLAT GASKET		VET & CCDS11	1210230344	C18309N:		/PE A 3P PG9 BLACK PA6,				
210230421	C18339N23			RELIEF BLACK, WHITE S			1210230862	C18313T2		PE A 3P 1/2" NPTF TRAN				
210230422 210230645	C18339N2C C183M6N21			RELIEF BLACK, WHITE S NBR PROFILE GASKET		NEI, & SUKEW +ZMM	1210230870	C18309G:		PE A 3P PG9 GRAY, NBR				
210230645				NBR PROFILE GASKET &			1210230674	C18209W	21SA TY	PE A 2P PG9 BLACK, NBR	PROFILE GASKET	& SCREW, UL LISTED		
210230650	C183M0N21			NBR PROFILE GASKET										
210230662	C182M0N21			NBR PROFILE GASKET			09 12 25	QUALITY	GENER	RAL TOLERANCES	DIMENSION ST		DESIGN UNITS	THIRD AL
210230677	C182M6N21			NBR PROFILE GASKET			555	SYMBOLS		SS SPECIFIED)	MM ONL	Y 2:1	METRIC (9)	THIRD AT
210230704	C182M6N22	TYPE A 2	P M16x1.5 BLACK,	NBR FLAT GASKET & S	CREW		JE 251 2015/10/09 2015/11/125			mm INCH		DATE TITLE	C40 CEE	חרכ
210230718	C182M6G21	TYPE A 2	P M16x1.5 GRAY, 1	NBR PROFILE GASKET &	SCREW		0NE 201 201 201 201	<u> </u>	4 PLACE:			011/05/04	C18 SER	
210230741	C183M0N2G			NO GASKET, & STANDA			0-5	م کوک	3 PLACE:			DATE	INTERNAL T	INKEAU
210230745	C18209N91			R PROFILE GASKET & S			- I L XX 도 된	V= 0	2 PLACE:	<u> </u>		011/05/06		
210230763	C18311W2G			, NO GASKET, & STAND				3	1 PLACE	0.2		DATE Molex M	10LEX INCOF	RPORATER
210230768	C18213T22			NSPARENT, NBR FLAT (% = e e e e e e e e e e e e e e e e e e		A		EFOLAN 20 MATERIAL NO.	011/05/24 MOLEX M		
210230780 210230793	C18312N23 C18309N2A			K, WHITE SILICONE PROF R PROFILE GASKET & S		<u>(</u>	SEE SHEET C EC NO: IPG2016-0 EDRWN: JBYRNES CHYKD: DSHES APPR: STGRIFFIN		DRAFT I		SEE CHA	NDT DOLUMENT NO.	SD-121023-001	1 SHI
Z 10ZJ0/93	CIOSUSINZA	TITE A 3	I FUZ DLACK, NB	N I NUTILE DASKET & S	CNEW +ZHIIII				DIVAL I N	WHERE APPLICABLE MUST REMAIN				
							N F	i i	WIT'H			ING CONTAINS INFORMATED AND SHOULD NOT	REUSED WITHOUT	UPKIETARY 10 M T WRITTEN PEDI
me_A2_P_A	м т						'	<u> </u>		/	T ZINCORFORAT	LD AND SHOOLD NOT	T USED WITHOUT	I WRITTEN FERI
IIIE AZ F A	Al'I II	- 1												





mÞm

NOTE

ITEM	DESCRIPTION
1	SCREW
2	COVER ASSEMBLY
3	INSERT ASSEMBLY
4	GASKET

[18209N21**

C18= INTERNAL THREAD FORM A

POLES -

2= 2 POLE & 3= 3 POLE THREAD SIZE -

09= PG9, 11= PG11, M6= M16x1.5, M0= M20x1.5, 12= 1/2" GAS, 13= 1/2" NPTF

39= PG9 W/STRAIN RELIEF, 41= PG11 W/STRAIN RELIEF

MATERIAL AND HOUSING COLOUR

G = PA6 GRAY, H= PA6 HEAT PROTECTION,

N= PA6 BLACK, W= PA66 BLACK VO, T= TRANSPARENT

GROUND POSITION -

0= UNMOUNTED, 2= H12, 3= H3, 6= H6 & 9= H9

SCREW AND GASKET -

- 1= NBR PROFILE GASKET & SCREW
- 2= NBR FLAT GASKET & SCREW
- 3= WHITE SILICONE PROFILE GASKET & SCREW
- 4= WHITE SILICONE FLAT GASKET & SCREW
- 5= NBR PROFILE GASKET, NO SCREW
- 9= NO GASKET, NO SCREW
- 0= NO GASKET, NO SCREW
- A= NBR PROFILE GASKET & SCREW +2mm
- B= NBR FLAT GASKET & SCREW +2mm
- C= WHITE SILICONE PROFILE GASKET & SCREW +2mm
- G= NO GASKET & STANDARD SCREW
- I= BULK PACK FULLY MOUNTED, NO GASKET
- P= INTEGRATED NBR GASKET & IP67 SCREW ASSEMBLED
- R= INTEGRATED NBR GASKET & IP67 SCREW NOT ASSEMBLED

NON STANDARD COMPONENTS-

14= SINGLE BAG

19= PIN NO.3 NON CONNECTED/REMOVED.

23= ASSEMBLED SCREWS & GASKET

10- SPECIAL GROMMET

4S= SPECIAL GROMMET

5A= SINGLE BAGGED 500 IN A BOX

9V= NO SCREW OR GASKET

AF= CENTRE SCREW MOUNTED

BM= GOLD TERMINALS

BS= FULLY UNMOUNTED ALL COMPONENTS IN SEPARATE BAGS

○ ☐ THIRD ANGLE PROJECTION

SHEET NO.

OH= INOX SCREW

P7= IP67 COMPLIANT

SA= UL LISTED PART

NOTES

29.0 REF

- 1. PLEASE SEE SHEET 2 FOR CURRENTLY CONFIGURED PART NUMBERS, FOR SPECIFIC PART NUMBERS PLEASE CONTACT SALES OR CONSULT THE INTELLIGENT PART NUMBERS IN THE TABLE ATTACHED
- 2. EARTH POSITION SHOWN, H12.

29.5 REF

- 3. FOR PACKAGING SEE PACKAGING SPEC PK-121023-C18
- 4. PRODUCT SPEC: SEE PS-121201-001

M3REF

LAST INSPECTION NUMBER 2

ADDED P/N EC NO: IPG2016-0551 C DRWN: JBYRNES 2015/10/09 CHYCD: SOME 2015/10/12 APPR: STGRIFFIN 2015/11/12 DIMENSION STYLE GENERAL TOLERANCES QUALITY MM ONLY 1.5:1 (UNLESS SPECIFIED) SYMBOLS DRAWN BY DATE TITLE mm C18 SERIES **JOCONNOR** 2011/05/04 4 PLACES INTERNAL THREAD CHECKED BY DATE B PLACES ± ---DMAHER 2011/05/06 PLACES ± 0.1 APPROVED B DATE 1 PLACE ± 0.2 ψole)× MOLEX INCORPORATED 2011/05/24 EFOLAN ANGULAR ±---MATERIAL NO. DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS SEE SHEET 2 SD-121023-001

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

tb_frame_A2_P_AM_ Rev. E 2006/04/15

G

c

Α

					<u>I</u>		<u> </u>				<u> </u>			
NADT No	I -D- DADT N-	DESCRIPTION					PART No.	mPm PART No.		SCRIPTION				
ART No. 210230229	mPm PART No. C18209G21			R PROFILE GASKET & SO	DEW .		1210230800	C18209G		PE A 2P PG9 GRAY, NBR				
210230227	C18209G22			R FLAT GASKET & SCRE			1210230803 1210230804	C182M0N C18309N		<u>(PE A 2P M20x1.5 BLACK, I</u>				
210230233	C18209G31			PROFILE GASKET & SO			1210230804	C18309N		<u>'PE A 3P PG9 BLACK, WHI'</u> 'PE A 3P PG9 BLACK, INTE			ASSEMBLED	
-		-					1210230825	C182M6N		PE A 2P M16x1.5 BLACK, II				
210230238	C18209N21			R PROFILE GASKET & S			1210230833	C18211G2		PE A 2P PG11 GRAY, NBR				
210230242	C18209N22			R FLAT GASKET & SCR			1210230841	C182M0G2		PE A 2P M20x1.5 GRAY, N				
210230244	C18209N23			HTE SILICONE PROFILE O			1210240268	C18311N2		PE A 3P PG11 BLACK, NO				
210230245 210230246	C18209N24 C18209N25			IITE SILICONE FLAT GAS R PROFILE GASKET, NO			1210240370	C18211N2		PE A 2P PG11 BLACK, NBF				
210230240	C18209N2A			R PROFILE GASKET & S			1210240940	C18209N:		PE A 2P PG9 BLACK, NO				
210230247	C18209N31			R PROFILE GASKET & S			1210240133	C18209N2		PE A 2P PG9 BLACK, NBR			W	
210230252	C18209N61			R PROFILE GASKET & S			1210240154 1210240378	C18209N2 C18311N2		<u>(PE A 2P PG9 BLACK, NBR</u> (PE A 3P PG11 BLACK, NBR			=\u	
210230253	C18209N62			R FLAT GASKET & SCR			1210240376	C18209N2		PE A 2P PG9 BLACK, NBR				
210230254	C18209T21	TYPE A 2	P PG9 TRANSPAR	RENT, NBR PROFILE GAS	KET & SCREW		1210240156	C18209N2		PE A 2P PG9 BLACK, NBR				
210230271	C18211G21			R PROFILE GASKET & S			1210240224	C18309N:		PE A 3P PG9 BLACK, NBR				
210230278	C18211N21			BR PROFILE GASKET & :			1210240755	C18309N:		PE A 3P PG9 BLACK, INTE				No. 3
210230282	C18211N23			HITE SILICONE PROFILE			1210240227	C18309N:	2110 TY	PE A 3P PG9 BLACK, NBR	PROFILE GASKET	& SCREW, WITH SPECIAL	GROMMET	
210230283	C18211N24			HITE SILICONE FLAT GAS			1210240185	C18211G2		PE A 2P PG11 GRAY, NBR				
210230284 210230286	C18211N61 C18211T21			BR PROFILE GASKET & : RENT, NBR PROFILE GAS			1210240271	C18311N6		PE A 3P PG11 BLACK, NBF				
210230200	C18211W21			, NBR PROFILE GASKET			1210240265	C18311N2		PE A 3P PG11 BLACK, NBF			1D, 500 IN A BOX	
210230305	C18212N21			K, NBR PROFILE GASKE			1210230350 1210240167	C18309N2 C18209N2		PE A 3P PG9 BLACK, NO				
210230315	C18213G21			Y, NBR PROFILE GASKE			1210240167	C18209N2		PE A 2P PG9 BLACK, NO PE A 2P PG9 GRAY, NBR				
210230319	C18213N21	TYPE A 2	P 1/2" NPTF BLA	CK, NBR PROFILE GASK	T & SCREW		1210230232	C182090		PE A 2P PG9 BLACK, NBR				
210230328	C18239G21			RELIEF GRAY, NBR PRO			1210230274	C18211G2		PE A 2P PG11 GRAY, NBR				
210230331	C18241N21			RELIEF BLACK, NBR PR		EW	1210230281	C18211N2		PE A 2P PG11 BLACK, NBF				
210230336	C18309G21			PROFILE GASKET & S			1210230648	C18309N	31AF TY	'PE A 3P PG9 BLACK, NBR	PROFILE GASKET	WITH SCREW MOUNTED		
210230337	C18309G22			FLAT GASKET & SCRE			1210230678	C183M0N	31AF TY	'PE A 3P M20×1.5 BLACK, I	NBR PROFILE GASK	ET WITH SCREW MOUNTER	D	
210230341	C18309N21			R PROFILE GASKET & S			1210230696	C183M6N		'PE A 3P M16x1.5 BLACK, N				
210230345 210230346	C18309N23 C18309N24			<u>HTE SILICONE PROFILE (</u> HTE SILICONE FLAT GAS			1210230751	C183M6N3		PE A 3P M16x1.5 BLACK, N)	
210230340	C18309N2G			GASKET, & STANDARD			1210230801	C183M6N2		PE A 3P M16x1.5 BLACK, N				
210230354	C18309N61			R PROFILE GASKET & S			1210230767	C18311N3		PE A 3P PG11 BLACK, NBF				
210230356	C18309N64			ITE SILICONE FLAT GAS			1210230728 1210230240	C18209N: C18209N:		<u>'PE A 2P PG9 BLACK, NBR</u> 'PE A 2P PG9 BLACK, NBR				
210230358	C18309T21			RENT, NBR PROFILE GAS			1210230240	C18211G2		'PE A 2P PG11 GRAY, NBR			1	
210230364	C18309W21	TYPE A 3	P PG9 BLACK VO,	NBR PROFILE GASKET	& SCREW		1210230272	C18211N2		PE A 2P PG11 BLACK, NBF			NT	
210230367	C18309W23	TYPE A 3	P PG9 BLACK VO.	WHITE SILICONE PROFIL	E GASKET & SCREW		1210230420	C18339N:		PE A 3P PG9 W/STRAIN R				
210230372	C18311G21			R PROFILE GASKET & S			1210230725	C18309N:		PE A 3P PG9 BLACK, NBR				
210230373	C18311G22			R FLAT GASKET & SCRE			1210230731	C18312N2	:1P7 TY	'PE A 3P 1/2" GAS BLACK	, NBR PROFILE GAS	SKET & SCREW IP67 COMP	LIANT	
210230374	C18311G61			R PROFILE GASKET & S			1210230732	C18209G		PE A 2P PG9 GRAY, NBR				
210230377 210230378	C18311N21 C18311N22			BR PROFILE GASKET & : BR FLAT GASKET & SCF			1210230843	C183M6N		PE A 3P M16×1.5 BLACK, N			.ANT	
210230370	C18311N31			BR PROFILE GASKET & SCI			1210230849	C18309N:		PE A 3P PG9 BLACK, BUL				
210230377	C18311N61			BR PROFILE GASKET & :			1210230739	C18311W2		PE A 3P PG11 BLACK VO,				
210230384	C18311T21			RENT, NBR PROFILE GAS			1210230851	C182M6W:		PE A 2P M16x1.5 BLACK V			NIT	
210230388	C18311W21			, NBR PROFILE GASKET			1210230853 1210230854	C18311N2 C18309W		<u>(PE A 3P PG11 BLACK, NBF</u> (PE A 3P PG9 BLACK VO, I				NGLE BAGGED
210230400	C18312N21			K, NBR PROFILE GASKET			1210230855			PE A 3P PG9 BLACK VO, 1				TOLL DAUGLD
210230401	C18312N22			K, NBR FLAT GASKET &			1210230657	C18309W		PE A 3P PG9 BLACK VO, I				
210230410	C18313G21			Y, NBR PROFILE GASKE			1210230809	C18211W2		PE A 2P PG11 BLACK VO,				
210230414	C18313N21			K, NBR PROFILE GASKE			1210230861	C18211W2		PE A 2P PG11 BLACK VO,				
210230415	C18313N22			CK, NBR FLAT GASKET		VET & CCDS11	1210230344	C18309N:		/PE A 3P PG9 BLACK PA6,				
210230421	C18339N23			RELIEF BLACK, WHITE S			1210230862	C18313T2		PE A 3P 1/2" NPTF TRAN				
210230422 210230645	C18339N2C C183M6N21			RELIEF BLACK, WHITE S NBR PROFILE GASKET		NEI, & SUKEW +ZMM	1210230870	C18309G:		PE A 3P PG9 GRAY, NBR				
210230645				NBR PROFILE GASKET &			1210230674	C18209W	21SA TY	PE A 2P PG9 BLACK, NBR	PROFILE GASKET	& SCREW, UL LISTED		
210230650	C183M0N21			NBR PROFILE GASKET										
210230662	C182M0N21			NBR PROFILE GASKET			09 12 25	QUALITY	GENER	RAL TOLERANCES	DIMENSION ST		DESIGN UNITS	THIRD AL
210230677	C182M6N21			NBR PROFILE GASKET			555	SYMBOLS		SS SPECIFIED)	MM ONL	Y 2:1	METRIC (9)	THIRD AT
210230704	C182M6N22	TYPE A 2	P M16x1.5 BLACK,	NBR FLAT GASKET & S	CREW		JE 251 2015/10/09 2015/11/125			mm INCH		DATE TITLE	C40 CEE	חרכ
210230718	C182M6G21	TYPE A 2	P M16x1.5 GRAY, 1	NBR PROFILE GASKET &	SCREW		0NE 201 201 201 201	<u> </u>	4 PLACE:			011/05/04	C18 SER	
210230741	C183M0N2G			NO GASKET, & STANDA			0-5	م کوک	3 PLACE:			DATE	INTERNAL T	INKEAU
210230745	C18209N91			R PROFILE GASKET & S			- I L XX 도 된	V= 0	2 PLACE:	<u> </u>		011/05/06		
210230763	C18311W2G			, NO GASKET, & STAND				3	1 PLACE	0.2		DATE Molex M	10LEX INCOF	RPORATER
210230768	C18213T22			NSPARENT, NBR FLAT (% = e e e e e e e e e e e e e e e e e e		A		EFOLAN 20 MATERIAL NO.	011/05/24 MOLEX M		
210230780 210230793	C18312N23 C18309N2A			K, WHITE SILICONE PROF R PROFILE GASKET & S		<u>(</u>	SEE SHEET C EC NO: IPG2016-0 EDRWN: JBYRNES CHYKD: DSHES APPR: STGRIFFIN		DRAFT I		SEE CHA	NDT DOLUMENT NO.	SD-121023-001	1 SHI
Z 10ZJ0/93	CIOSUSINZA	TITE A 3	I FUZ DLACK, NB	N I NUTILE DASKET & S	CNEW +ZHIIII				DIVAL I N	WHERE APPLICABLE MUST REMAIN				
							N F	i i	WIT'H			ING CONTAINS INFORMATED AND SHOULD NOT	REUSED WITHOUT	UPKIETARY 10 M T WRITTEN PEDI
me_A2_P_A	м т						'	<u> </u>		/	T ZINCORFORAT	LD AND SHOOLD NOT	T USED WITHOUT	I WRITTEN FERI
IIIE AZ F A	Al'I II	- 1												

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

1210230414 1210230372