


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A3	REVISED PER ECR-20-013028	14SEP2020	MM	DD

NOTES:


- 1 MATERIALS AND FINISH:
-MODULE HOUSING: PBT, COLOR: GREY
-CONTACTS: BRASS, FINISH: Sn
-O-RING: SILICON RUBBER
2. MUST COMPLY WITH DIRECTIVE 2002/95/EC (ROHS)
- 3 LOCATION OF FLAT ON RECEPTACLE (TE P/N 2213858-1)
THREAD SECTION IN FULL MATED POSITION
4. COMPATIBLE DOME IS 2328823-X.
5. MATES WITH RECEPTACLE ASSEMBLIES 2343403-1 OR 1-2343403-1.
6. RECOMMENDED PIN OUT FOR 0-10V DIMMING CONTROL APPLICATIONS:

PIN	0-10V CONTROL
1	DC+
2	0-10V DIM- DC-
3	0-10V DIM+
4	OPTIONAL




SCALE 3:2

MODULE BASE ASSY,CLOSED VENT,KEY A	2-2343404-1
MODULE BASE ASSY,VENT,KEY A	1-2343404-1
DESCRIPTION AND KEYING	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. DAILY 03OCT2018		TE Connectivity					
		CHK E. HOWARD 03OCT2018							
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.2 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ±1 FINISH		NAME		MODULE BASE ASSEMBLY, LUMAWISE ENDURANCE S 80mm DIAMETER,KEYED			
				APVD -		PRODUCT SPEC 108-133073			
MATERIAL - SEE NOTES		WEIGHT -		APPLICATION SPEC 114-133074		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
				A2		-	C=2343404	-	
				CUSTOMER DRAWING				SCALE	2:1


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




1-2343404-1 SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 03OCT2018 C. DAILY		 TE Connectivity	
		CHK 03OCT2018 E. HOWARD			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.2 1 PLC ±0.15 2 PLC ±.2 3 PLC ±.2 4 PLC ±.2 ANGLES ±1 FINISH		NAME MODULE BASE ASSEMBLY, LUMAWISE ENDURANCE S 80mm DIAMETER, KEYED	
		PRODUCT SPEC 108-133073		SIZE CAGE CODE DRAWING NO RESTRICTED TO A2 - C-2343404 -	
MATERIAL - SEE NOTES		APPLICATION SPEC 114-133074 WEIGHT - CUSTOMER DRAWING		SCALE 2:1 SHEET 2 OF 4 REV A3	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




CONTACT SOLDER
TAILS SEALED
4X




NOTE: KEY

1-2343404-1 SHOWN



CONTACT SOLDER
TAILS SEALED
4X

VENT HOLE
BLOCKED





NOTE: KEY

2-2343404-1 SHOWN




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. DAILY 03OCT2018	 TE Connectivity			
		CHK E. HOWARD 03OCT2018				
DIMENSIONS:		APVD -	NAME MODULE BASE ASSEMBLY, LUMAWISE ENDURANCE S 80mm DIAMETER, KEYED			
mm		PRODUCT SPEC 108-133073				
		APPLICATION SPEC 114-133074	SIZE A2	CAGE CODE -	DRAWING NO C-2343404	RESTRICTED TO -
MATERIAL -		WEIGHT -				
SEE NOTES		CUSTOMER DRAWING	SCALE 2:1	SHEET 3 OF 4	REV A3	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

D



O-RING SEALING SURFACE;
MUST BE SMOOTH AND
FREE FROM DEFECTS



B

A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. DAILY 03OCT2018	TE Connectivity			
DIMENSIONS: mm		CHK E. HOWARD 03OCT2018				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	NAME MODULE BASE ASSEMBLY, LUMAWISE ENDURANCE S 80mm DIAMETER, KEYED			
0 PLC ± 1 PLC ±0.2 2 PLC ±0.15 3 PLC ± 4 PLC ±		PRODUCT SPEC 108-133073	SIZE A2			
MATERIAL -		APPLICATION SPEC 114-133074	CAGE CODE -			
FINISH -		WEIGHT -	DRAWING NO C-2343404			
SEE NOTES		CUSTOMER DRAWING	RESTRICTED TO -			
SCALE 2:1			SHEET 4 OF 4		REV A3	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-2343404-1](#)