RoHS



Han M Base Panel 1 Lever metal cover

		Part number	09 37 024 0318
		Specification	Han M Base Panel 1 Lever metal cover
		HARTING eCatalogue	https://b2b.harting.com/09370240318
Identification			
Category	Hoods/Hous	ings	
Series of hoods/housings	Han [®] M		
Type of hood/housing	Bulkhead mo	ounted housing	
Description of hood/housing	With metal c	over	
Туре	Low construe	ction	
Version			
Size	24 B		
Locking type	Single lockin	ig lever	
Field of application	Hoods/housi	ngs for rough environments	
Technical characteristics			
Limiting temperature	-40 +125 °	O°	
Degree of protection acc. to IEC 60529	IP65		
Type rating acc. to UL 50 / UL 50E	4 4X		
	4X 12		
Material properties			
Material (hood/housing)	Aluminium d	ie-cast	
Surface (hood/housing)	Powder-coat	ted	
Colour (hood/housing)	RAL 9005 (je	et black)	
Material (seal)	FPM		
Material (locking)	Stainless ste	el	

Page 1 / 2 | Creation date 2021-10-01 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electric Stiftung & Co. KG | Wilhelm-Harting-Straße 1 | 32339 Espelkamp | Germany Phone +49 5772 47-97100 | electric@HARTING.com | www.HARTING.com

compliant



Material properties

ELV status	compliant
China RoHS	e
REACH Annex XVII substances	No
REACH ANNEX XIV substances	No
REACH SVHC substances	No
California Proposition 65 substances	Yes
California Proposition 65 substances	Nickel

Specifications and approvals

Approvals	DNV GL
UL / CSA	UL 1977 ECBT2.E235076 CSA-C22.2 No. 182.3 ECBT8.E235076
CE	Yes

Commercial data

Packaging size	1
Net weight	270.8 g
Country of origin	Germany
European customs tariff number	85389099
eCl@ss	27440202 Shell for industrial connectors

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

HARTING: 09370240318