




THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2011

© COPYRIGHT 2011



ALL RIGHTS RESERVED.

REVISIONS



| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
| - | -   | SEE SHEET 1 | -    | -   | -    |


SECTION A - A

COUNTERPART DETAILS



TAB DETAILS



|                                                                                                   |  |                                                                                                                       |                                                                                                       |                       |                    |
|---------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                            |  | DWN<br>C. BERTINI<br>05-1992                                                                                          |  TE Connectivity |                       |                    |
|                                                                                                   |  | CHK<br>A. BRUNI<br>05-1992                                                                                            |                                                                                                       |                       |                    |
|                                                                                                   |  | APVD<br>-                                                                                                             |                                                                                                       |                       |                    |
|                                                                                                   |  | PRODUCT SPEC<br>108-20090                                                                                             |                                                                                                       |                       |                    |
| DIMENSIONS:<br>mm                                                                                 |  | APPLICATION SPEC<br>412-20000                                                                                         | NAME<br>AMP SUPERSEAL 1.5 SRS.<br>2 POSITIONS PLUG ASS'Y                                              |                       |                    |
|              |  | TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>0 PLC ±0.3<br>1 PLC ±0.1<br>2 PLC ±0.05<br>3 PLC ±<br>4 PLC ±<br>ANGLES ±2° | SIZE<br>A300779                                                                                       | CAGE CODE<br>C-282080 | RESTRICTED TO<br>- |
| MATERIAL<br> |  | FINISH<br>                       | WEIGHT<br>2.60gr                                                                                      | SCALE<br>5:1          | SHEET<br>2 OF 2    |
|                                                                                                   |  |                                                                                                                       | Customer Drawing                                                                                      | REV<br>D5             |                    |

MATERIALS: PA66-GF FOR HOUSING  
TIN PLATED BRASS FOR TABS  
FOR PN 1745096-1; COUNTER PART MATL  
PA66-GF ACC TO IEC60335-1  
PRODUCT SPEC: 108-20090-2

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[282080-3](#)