


4

3


2

1

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
J	-		B	REVISED PER ECR-10-013244	10JUL2010	HMR	TM
			C	REVISED	27JUN2011	M.M	N.Y



- 1. MATERIAL: HOUSING: GLASS FILLED THERMO PLASTIC POLYESTER(94V-0), COLOR: BLACK
CONTACT: COPPER ALLOY
SPRING: STAINLESS STEEL
- 2. FINISH(ALL OVER): NICKEL PL. 1.27μmMIN
- 3. FINISH(CONTACT AREA): GOLD PL. 0.3μmMIN AFTER 2.



38	18	63.0	70.1	67.0	77.7	REC ASSY: 2-1871940-9
30	14	49.0	56.1	53.0	63.7	REC ASSY: 2-1871940-5
22	10	35.0	42.1	39.0	49.7	REC ASSY: 2-1871940-1
16	7	24.5	31.6	28.5	39.2	REC ASSY: 1-1871940-8
12	5	17.5	24.6	21.5	32.2	REC ASSY: 1-1871940-6
8	3	10.5	17.6	14.5	25.2	REC ASSY: 1-1871940-4
POS.	n	A	B	C	D	PART No.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL

1

TOLERANCES UNLESS OTHERWISE SPECIFIED:
±0.3, ±3°

0 PLC ±

1 PLC ±

2 PLC ±

3 PLC ±

4 PLC ±

ANGLES ±

FINISH

2 3

DWN S. TAKADA 09APR2007

CHK J. AKASAKA 09APR2007

APVD J. AKASAKA 09APR2007

PRODUCT SPEC 108-78336

APPLICATION SPEC -

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME DYNAMIC D1900D 3.5mm PITCH
REC ASSY (SPRING CLAMP TYPE)
8-38POS

SIZE A3

CAGE CODE 00779

DRAWING NO C-1871940

RESTRICTED TO -

SCALE 4:1

SHEET 1 OF 1

REV C

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-1871940-5](#)